



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/614,722

07/07/2003

Edgardo Costa Maianti

DID1044US

7562

9561 7590 05/12/2008
POPOVICH, WILES & O'CONNELL, PA
650 THIRD AVENUE SOUTH
SUITE 600
MINNEAPOLIS, MN 55402

EXAMINER

CRAIG, PAULA L

ART UNIT

PAPER NUMBER

3761

MAIL DATE

DELIVERY MODE

05/12/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|--------------------------------------|---------------------------------------|--|
| Office Action Summary | Application No. 10/614,722 | Applicant(s) MAIANTI ET AL. | |
| | Examiner PAULA L. CRAIG | Art Unit 3761 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 February 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 and 10 is/are pending in the application.
- 4a) Of the above claim(s) 6-8 and 10 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed February 19, 2008 have been considered but are moot in view of the new grounds of rejection.

Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

3. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ghelli (US 2002/0057990) in view of U.S. Patent No. 4,424,190 to Mather, III et al., and further in view of Raible (US 5,770,149).

4. For Claim 1, Ghelli teaches a device for treating blood in an extracorporeal circuit having a reservoir and a heat exchanger having an inlet and an outlet (reservoir includes reservoir bag; heat exchanger includes heat exchanger 11; Fig. 7, paragraphs 1-3, 8, 14, 24-27, Claim 19). Ghelli teaches a pulsating pump having an inlet connected to receive blood from the outlet of the heat exchanger, and an outlet (pumping unit 1, Fig. 7, paragraphs 1-3, 15 and 21-24). Ghelli teaches an oxygenation apparatus having an inlet and an outlet (oxygenation apparatus includes oxygenator 12; Fig. 7, paragraphs 2-3, 8, 24-27, Claim 19). Ghelli teaches a filter (paragraph 2). Ghelli teaches the integration of the heat exchanger, the pump, and the oxygenation apparatus into a single monolithic assembly to save space in the vicinity of the

Art Unit: 3761

operating field (Fig. 7 and paragraphs 2-3, 24-27). Ghelli does not expressly teach the reservoir being a venous blood reservoir with an inlet and an outlet; the filter being an arterial blood filter; or the reservoir and filter being integrated into the monolithic assembly. Venous blood reservoirs and arterial blood filters are both well known in the art. Integration of components, including venous blood reservoirs and arterial blood filters, into a monolithic assembly is well known in the art of extracorporeal circuits.

Mather confirms that a venous blood reservoir is well known, and teaches a venous blood reservoir 20 with an inlet 30 and an outlet 35, and a heat exchanger 40 having an inlet and an outlet 62 (inlet of heat exchanger includes blood manifold 38; Figs. 1-5, col. 1, lines 7-20, col. 2, line 55 to col. 5, line 7, col. 6, lines 27-53; note that the reservoir of Mather includes a bag 24). Mather teaches a pump having an inlet connected to receive blood from the outlet 62 of the heat exchanger 40, and an outlet (Fig. 5, col. 6, lines 42-53). Mather teaches an oxygenation apparatus 60 having an inlet 64 and an outlet 80 (Figs. 1-5, col. 3, lines 47-59, col. 6, lines 27-53). Mather teaches at least the reservoir 20, the heat exchanger 40, and the oxygenation apparatus 60 being integrated into a single monolithic assembly 10 (Figs. 3-5 and 9, col. 1, lines 7-20, col. 7, lines 12-29; note that in addition, all the components may be placed on movable console 100).

In light of Ghelli's teaching of a reservoir and that a monolithic assembly saves space in the vicinity of the operating field, it would have been obvious to one of ordinary skill in the art for the reservoir to be a venous blood reservoir with an inlet and an outlet, with the reservoir integrated into the monolithic assembly, as taught by Mather. Raible '149 teaches a device for treating blood in an extracorporeal circuit including a venous blood

Art Unit: 3761

reservoir having an inlet and an outlet (extracorporeal blood oxygenation system 10 and reservoir 111, Figs. 3 and 8-9a, col. 1, lines 7-13, col. 3, lines 55-62, col. 5, lines 18-38, col. 12, lines 8-52, col. 13, line 60 to col. 14, line 5). The device has an arterial blood filter having an inlet and an outlet (arterial filter apparatus 128 and chamber 126, Figs. 9-9a, col. 3, line 63 to col. 4, line 4, col. 12, line 55 to col. 13, line 41, col. 15, lines 17-25). Raible teaches both the venous blood reservoir and the arterial blood filter being integrated into a monolithic assembly (Figs. 8-9a, col. 12, line 6 to col. 13, line 41). Raible teaches that a single integrated structure allows the device to be positioned close to the patient, thereby minimizing the need for lengthy blood-filled tubes (col. 1, line 45 to col. 2, line 8). Raible teaches that the arterial blood filter allows the blood to be filtered before returning the blood to the patient (col. 3, line 62 to col. 4, line 4). In light of Ghelli's teaching of a filter, it would have been obvious to one of ordinary skill in the art to modify Ghelli to include an arterial filter, as taught by Raible, to allow the blood to be filtered before returning the blood to the patient, as taught by Raible. In addition, in light of Ghelli's teaching that a monolithic assembly saves space in the vicinity of the operating field, it would have been obvious to one of ordinary skill in the art to modify the monolithic assembly of Ghelli to include a reservoir and an arterial blood filter, as taught by Raible, to allow the device to be positioned close to the patient and minimize the need for lengthy blood-filled tubes, as taught by Raible.

5. For Claim 2, Ghelli teaches a reservoir (paragraphs 1-3). Ghelli does not expressly teach the reservoir being a cardiectomy reservoir. However, cardiectomy reservoirs are well known in the art. Mather confirms this and teaches a cardiectomy

Art Unit: 3761

reservoir (blood inlet 32 goes to cardiectomy reservoir; Figs. 1-2 and 4, col. 2, lines 27-30, col. 4, lines 39-45). In light of Ghelli's teaching of a reservoir, it would have been obvious to one of ordinary skill in the art to modify Ghelli to include the reservoir being a cardiectomy reservoir, as taught by Mather.

6. For Claim 3, Ghelli teaches a reservoir and a filter (paragraphs 1-3). Ghelli teaches blood flowing through an inlet of the heat exchanger 11; the outlet of the heat exchanger being connected to the inlet of the pump 1; and the outlet of the pump being connected to the inlet of the oxygenation apparatus 12 (Figs. 1-7, paragraphs 1-3, 8, 17, 21-24, Claim 19). Ghelli does not expressly teach the outlet of the venous reservoir being connected to the inlet of the heat exchanger, nor the outlet of the oxygenation apparatus being connected to the inlet of an arterial filter. However, the outlet of a venous reservoir being connected to the inlet of a heat exchanger, and the outlet of an oxygenation apparatus being connected to the inlet of an arterial filter, are well known in the art. Mather confirms that having the outlet 35 of a venous reservoir 20 connected to the inlet of a heat exchanger 40 is known, and teaches this configuration (Figs. 1-5, col. 3, lines 47-59, col. 6, lines 42-53). In light of Ghelli's teaching of a reservoir and of blood flowing through an inlet of the heat exchanger, it would have been obvious to one of ordinary skill in the art for the outlet of a venous reservoir to be connected to the inlet of a heat exchanger, as taught by Mather. Raible teaches the outlet of an oxygenation apparatus being connected to the inlet of an arterial filter (oxygenation apparatus includes membrane oxygenator portion, gas-exchange cavity 72, and gas exchange membranes 74; arterial filter includes arterial filter apparatus 128 and chamber 126;

Art Unit: 3761

Figs. 3 and 8-9a, col. 3, line 31 to col. 4, line 4, col. 8, line 1 to col. 9, line 17, col. 12, line 55 to col. 13, line 41, col. 15, lines 17-25). Raible teaches that the arterial blood filter allows the blood to be filtered before returning the blood to the patient (col. 3, line 62 to col. 4, line 4). In light of Ghelli's teaching of a filter, it would have been obvious to one of ordinary skill in the art to modify Ghelli to include an arterial filter connected to the outlet of the oxygenation apparatus, as taught by Raible, to allow the blood to be filtered before returning the blood to the patient, as taught by Raible.

7. For Claim 4, Ghelli teaches the device including a first hollow cylindrical structure for containing the oxygenation apparatus 12, wherein the first hollow cylindrical structure is suitable to accommodate the heat exchanger 11, and wherein the first hollow cylindrical structure supports the pump 1 at a lower end face (Fig. 7, paragraph 24). Ghelli teaches a reservoir and a filter (paragraphs 1-3). Ghelli teaches the integration of the heat exchanger and the oxygenation apparatus into a hollow cylindrical structure to save space in the vicinity of the operating field (Fig. 7 and paragraphs 2-3, 24-27). Ghelli does not expressly teach the first hollow cylindrical structure supporting a venous blood reservoir, nor a second hollow cylindrical structure monolithically connected to the first hollow cylindrical structure suitable for containing the arterial blood filter. However, a hollow cylindrical structure including a venous blood reservoir is well known in the art. A hollow cylindrical structure suitable for containing an arterial blood filter is also well known in the art. Mather teaches a hollow cylindrical structure supporting a venous blood reservoir 20, together with a heat exchanger 40, with the venous blood reservoir at an upper end face of the hollow cylindrical structure

(Figs. 1-5, col. 3, lines 47-53, col. 6, lines 27-53). In light of Ghelli's teaching of a reservoir and of integrating the heat exchanger and oxygenation apparatus into a hollow cylindrical structure to save space in the vicinity of the operating field, it would have been obvious to one of ordinary skill in the art to modify Ghelli to include the reservoir at the upper end of the hollow cylindrical structure, as taught by Mather. Raible teaches a hollow cylindrical structure including an arterial filter and monolithically connected to the other components (arterial filter includes arterial filter apparatus 128 and chamber 126; Figs. 3 and 8-9a, col. 3, line 31 to col. 4, line 4, col. 8, line 1 to col. 9, line 17, col. 12, line 55 to col. 13, line 41, col. 15, lines 17-25). Raible teaches that the arterial blood filter allows the blood to be filtered before returning the blood to the patient (col. 3, line 62 to col. 4, line 4). In light of Ghelli's teaching of a filter and a hollow cylindrical structure, it would have been obvious to one of ordinary skill in the art to modify Ghelli to include an arterial blood filter in a hollow cylindrical structure monolithically connected to the other components, as taught by Raible, to allow the blood to be filtered before returning the blood to the patient, as taught by Raible.

8. For Claim 5, Ghelli teaches the device including a first hollow cylindrical structure which accommodates the heat exchanger 11 and supports the pump 1 so as to arrange in a coaxial and directly facing configuration the inlet and outlet of the heat exchanger 11 with the inlet of the pump 1 (Fig. 7, paragraph 24). Ghelli teaches a reservoir (paragraphs 1-3). Ghelli teaches the integration of the heat exchanger and the pump into a hollow cylindrical structure to save space in the vicinity of the operating field (Fig. 7 and paragraphs 2-3, 24-27). Ghelli does not expressly teach the reservoir being a

Art Unit: 3761

venous blood reservoir, nor the hollow cylindrical structure supporting the reservoir so that the outlet of the venous blood reservoir is arranged in a coaxial and directly facing configuration with the inlet of the heat exchanger. Mather teaches the reservoir being a venous blood reservoir 20, and the hollow cylindrical structure supporting the reservoir so that the outlet of the venous blood reservoir 20 is arranged in a coaxial and directly facing configuration with the inlet of the heat exchanger 40 (Figs. 1-5 and 9, col. 3, lines 47-53, col. 6, lines 27-53). In light of Ghelli's teaching of a reservoir, it would have been obvious to one of ordinary skill in the art to modify Ghelli to include the reservoir being a venous blood reservoir, and the hollow cylindrical structure supporting the reservoir so that the outlet of the venous blood reservoir is arranged in a coaxial and directly facing configuration with the inlet of the heat exchanger, as taught by Mather.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PAULA L. CRAIG whose telephone number is (571)272-5964. The examiner can normally be reached on M-F 8:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3761

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Paula L Craig
Examiner
Art Unit 3761

/P. L. C./

/Tatyana Zalukaeva/
Supervisory Patent Examiner, Art Unit 3761